

EARTHQUAKE PREPAREDNESS CHECKLIST

Most people would associate the risk of earthquakes with well-publicized and seismically active areas like California, parts of Washington State, areas in and around Yellowstone National Park, and some areas of Nevada and Utah. However the risk of earthquakes covers a much larger area of the United States and Canada.

The following checklist covers some basic points to consider in preparing for an earthquake which will help you recover more effectively in the aftermath. In the aftermath of an earthquake, these contingencies will prove vital activities ensuring that any damage to your business and resources are minimized.

✓	Before the Earthquake				
	Be aware of your risk level. Add a map to your DR plan and make sure everyone is aware of the earthquake risk level in your specified region.				
	Think about communications, since the chances are the phone company and possibly cell towers will be down. Your disaster recovery/response team will need to be in immediate contact with one another to ensure that your plan is activated and moving forward as quickly as possible. Think about two-way radios or text messages. The Alert Notification System on myAgility is also an invaluable communication resource.				
	Develop a plan around communication, and deliver this to your team. Be sure to clearly identify each individual's roles and responsibility prior to the earthquake.				
	Implement structural and non-structural hazard mitigation actions: bolting furniture to walls, ensure hardware and technology are secure, safety latches for cabinet doors, install fire sprinklers, use hook and loop fasteners to keep computers and other equipment from falling.				
	Discuss coverage with your insurance provider. Understand your extra expense, and business interruption policies, before the interruption occurs.				
	Contact your property owner or facilities manager and ask about having a laminate or plastic film placed on the inside of the windows to prevent glass shattering and endangering employees.				
	Assemble and store emergency supply kit- for 3 days minimum (see checklist for emergency supply kit).				
	Assemble building site maps and floor plans identifying exits, fire escapes, stairways, utility valves and shutoffs, fire extinguishers, hydrants, and standpipes, hazardous materials, and locked or restricted areas. Include these in your plan.				
	Prepare your building for an extensive power outage and look at power options, particularly generator requirements. Contact Agility or your local electrician for assistance with this.				
	Review your current data back up procedures and consider contracting with a datacenter or collocation facility that is in a different part of the country (one not prone to earthquakes, hurricanes or any other kind of aggressive natural events). Back up all your data to them on a daily (or at least every other day) basis, so that in the event you lose your networks and servers you can be back up and running and restoring your saved data to replacement equipment.				
✓	During the Earthquake				
	If you are indoors, duck or drop down to the floor. Take cover under a sturdy desk, table or other furniture. Hold on to it and be prepared to move with it. Hold the position until the ground stops shaking and it is safe to move. Stay clear of windows, fireplaces, woodstoves, and heavy furniture or appliances that may fall over. Stay inside to avoid being injured by falling glass or building parts. If you are in a crowded area, take cover where you are. Stay calm and encourage others to do likewise.				
	If you are outside, get into the open, away from buildings and power lines.				
	If you are in a mountainous area, or near unstable slopes or cliffs, be alert for falling rock and other debris that could be loosened by the earthquake.				
	If you are near the beach, move quickly to higher ground or several hundred yards inland.				
	If you are driving, stop if it is safe, but stay inside your car. Stay away from bridges, overpasses and tunnels. Move your car as far out of the normal traffic pattern as possible. If possible, avoid stopping under trees, light posts, power lines, or signs. If you are in a mountainous area, or near unstable slopes or cliffs, be alert for falling rock and other debris that could be loosened by the earthquake.				

© 2013 Agility Recovery Page 1




✓	After the Earthquake			
	Employees should immediately check for injuries among fellow workers and render first aid. Serio			
	injured persons should not be moved unless they are in danger of further injury.			
	Check for fire hazards, gas leaks, or damaged electrical wiring. Make sure main valves are turned off.			
	Use flashlights (in emergency supply kit) vs. matches/lighters, due to potential gas leaks.			
	Be prepared for aftershocks – these can come for several days after the main quake and can frequently topple already weakened structures.			
	Consider relocation during recovery, depending upon damage to structure. Contact Agility for alternate space.			
	Bring all vital records with you to your recovery site: data, employee lists, vendor lists, etc. Ensure you have access to your myAgility profile.			
✓	Your People			
	Ensure you have an emergency communication plan in place prior to the event, evacuation, or threat.			
	Determine who is certified in CERT, CPR, etc. and what their responsibilities will be in the event of an earthquake.			
Use the Alert Notification System on myAgility, or internal employee hotline, to keep all er on status and next steps.				
	During evacuation have a central point of contact for all employees, and ensure you know where your people are located.			
	During evacuation consider your phones lines- redirection to cell phones, answering service, Google Voice,			
	or Agility lines could be critical.			

<CONTINUED>

© 2013 Agility Recovery Page 2





Earthquakes are measured by the Richter magnitude scale. This is used to express the level of seismic energy released by the earthquake. The scale is theoretically limitless, although the highest magnitude so far recorded was 9.5 in 1960.

Intensity Scale	Description	Effects
less than 2	Micro	not felt
2-3	Very Minor	not felt but recorded
3-4	Minor	often felt, no damage
4-5	Light	shaking observed
5-6	Moderate	Some damage
6-7	Strong	damaging over a 100 mile area
7-8	Major	serious damage over wider area
greater than 8	Great	Serious damage over several hundred miles

About Agility Recovery

Agility Recovery, a former division of General Electric, is a leading provider of disaster recovery solutions to organizations of all types. Agility provides robust and easy-to-implement recovery solutions for an affordable monthly membership fee, providing access to temporary power, office space, communications equipment and computer systems. For more than 25 years, Agility has rescued thousands of organizations with a 100% success rate. For more information, please visit:

www.agilityrecovery.com or call 877-364-9494.

© 2013 Agility Recovery Page 3