

NEWS RELEASE

FOR INFORMATION CONTACT:

Caroline Calderone Baisley Director of Health Tel [203] 622-7836

or

Michael S. Long, Director Division of Environmental Services Tel. [203] 987-1001

For Immediate Release June 17, 2015

MOSQUITOES ARE TESTED FOR WEST NILE VIRUS (WNV) AND EASTERN EQUINE ENCEPHALITIS (EEE) VIRUSES

With the warm weather comes the mosquitoes and with the mosquitoes the threat of West Nile Virus (WNV) and Eastern Equine Encephalitis (EEE). As of June 1, 2015 the State of Connecticut began their mosquito trapping and testing for these viruses.

In conjunction with the State and other Towns across Connecticut, the Town of Greenwich will begin the fight against mosquito-borne this month and continue through November, 2015. The program will involve conducting a preemptive larviciding program that will include the treatment of public and private roadway catch basins, public school ground catch basins and other property owned and operated by the Town if necessary. Director of Health, Caroline Calderone Baisley stated, "Controlling the mosquito population in the larval stage through the application of larvicide has been found to be very effective over the years, so it is prudent to continue this action."

The Town, along with several State agencies will implement an integrated mosquito management program that includes monitoring and surveillance, education and prevention. Adult mosquito control will only be considered if necessary. In Connecticut, in 2014, mosquitoes, domestic animals and humans were included in surveillance systems. The following is a list of those results

- There were six (6) human cases of West Nile Virus in five (5) towns and
- Mosquitoes were collected at 91 permanent mosquito-trapping stations in 72 municipalities throughout the state. A total of 229,097 mosquitoes were trapped and tested. A total of 68 positive isolations of WNV were made from a variety of mosquito species in fifteen (15) towns.
- During 2014, no EEE-infected mosquitoes were identified and no human or domestic animal infections were reported.

Director of Environmental Services, Michael S. Long stated, "Although the town's larvicide program will treat catch basins, the general public must be vigilant in eliminating standing water on their own properties and protecting themselves from biting mosquitoes at all times. It is important to recognize that the highest risk of exposure to West Nile Virus infected mosquitoes is during the months of August and September."

As in the past, the Department of Health will work closely with all agencies, including the Connecticut Department of Energy and Environmental Protection (DEEP), which will identify and monitor mosquito breeding sites starting in June; the Connecticut Agricultural Experiment Station (CAES), which will trap and isolate arboviruses in the mosquito population; the Connecticut Department of Public Health, which will

NEWS RELEASE Page 2.

conduct surveillance of West Nile Virus infection in humans; and the Connecticut Department of Agriculture (DoAg), which will carry out surveillance in domestic animals.

When bitten by an infected mosquito, most people are able to fight off the infection and experience either mild symptoms, such as headache and fever, or no symptoms at all. It is believed that approximately one in 100 persons bitten by an infected mosquito become ill. In a minority of infected persons, especially those over 50 years old, West Nile Virus can cause serious illness, including encephalitis and meningitis. Infection leads to death in 3 to 15 percent of persons with severe forms of the illness. The virus is spread to humans by the bite of an infected mosquito, which becomes infected when it bites a bird carrying the virus. West Nile virus is <u>not</u> spread by person-to-person contact or directly from birds to people. Although there is no specific treatment or cure, the symptoms and complications of the disease can often be treated. Most people who become ill recover.

In some individuals, including the elderly and persons with compromised immune systems, WNV can cause serious illness that affects the central nervous system. At its most serious, it can cause permanent neurological damage and can be fatal. General symptoms occur suddenly between 5-15 days following the bite of an infected mosquito and range from a slight fever, headache, rash, swollen lymph nodes, nausea, malaise and eye pain, to the rapid onset of severe headache, high fever, stiff neck, disorientation, severe muscle weakness, gastrointestinal symptoms, coma or death. Residents are encouraged to see a physician immediately if they develop any of these sudden symptoms.

"Personal measures are extremely important to protect ourselves against biting mosquitoes during the day and at night," says Michael S. Long. The following precautions should be taken:

- Avoid outdoor activities at dawn and dusk when mosquitoes are most active.
- Wear shoes, socks, long pants and long-sleeved shirts. Clothing material should be tightly woven.
- Use mosquito repellent when it is necessary to be outdoors. Always use according to label instructions. The most effective repellent contains DEET or Picaridin.
- When using DEET, use the lowest concentration effective for the time spent outdoors and wash treated (exposed skin) when returning indoors.
- Cover up arms and legs of children playing outdoors and cover playpens or carriages with mosquito netting.
- Do not apply under clothing, to wounds or irritated skin, the hands of children or to infants less than two months old.
- Do not use products that combine DEET with sunscreen on children. The DEET may make the sun protective factor (SPF) less effective. These products can over expose your child to DEET because sunscreen needs to be reapplied often.
- Use mosquito netting when camping out and on carriages.
- Do not camp out overnight near stagnant or standing water where mosquitoes are most active.

In addition, Greenwich residents are urged to continue to participate in the Town's mosquito control efforts by eliminating areas of standing water around their homes which includes:

NEWS RELEASE Page 3.

YARD AND HOME CHECKLIST

- ✓ Get rid of old tires, tin cans, buckets, drums, bottles or any water holding containers.
- ✓ Fill in or drain any low places (puddles, ruts) in yard.
- ✓ Keep rain gutters, drains, ditches and culverts clean of weeds and trash so water will drain properly.
- ✓ Cover trash containers to keep out rainwater.
- ✓ Repair leaky pipes and outside faucets.
- ✓ Empty plastic wading pools at least once a week and store indoors when not in use.
- ✓ Make sure your backyard pool is properly chlorinated every day.
- ✓ Fill in tree rot holes and hollow stumps that hold water with sand or concrete.
- ✓ Change the water in birdbaths and plant pots or drip trays at least once each week.
- ✓ Keep grass cut short and shrubbery well trimmed around the house so adult mosquitoes cannot hide there.
- ✓ Eliminate collected water in boat or pool covers.
- ✓ Ponds and stagnant water bodies that do not support fish, frogs or other amphibians that eat mosquito larvae may be treated with a biological control agent such as *Bacillus thuringiensis israelensis* (BTI) and *Bacillus sphaericus* (BS). It is suggested that the Department of Health or Greenwich Conservation Commission be contacted when treatment is considered.

For more information about the Town's larviciding program, personal protection and property management recommendations, the State of Connecticut mosquito management program, the following contact sites are available.

The Town of Greenwich Mosquito Management Brochure is available throughout the community and on the Town's Website.

Greenwich Department of Health Division of Environmental Services Greenwich Conservation Commission	www.greenwichct.org (203) 987-1001 (203) 622-6461
Connecticut Department of Energy and Environmental Protection Communications Division DEEP Mosquito Management Program Website	n (860) 424-4100 www.ct.gov/mosquito
Connecticut Department of Public Health	www.ct.gov/dph
Toxic Hazards Assessment Program	(860) 509-7742
Epidemiology Program	(860) 509-7994
Connecticut Agricultural Experiment Station	(860) 974-8604
Website	www.ct.gov/caes
Department of Agriculture	(860) 713-2505
Website	www.ct.gov/doag
Westchester County Department of Health Information Line	(914) 813-5000
Website	www.co.westchester.ny.us/health